

## **Bibliographie**

### **Réussir le virage ambulatoire – uniquement une affaire d'anesthésie?** **Brian Oosterhoff**

- (1) Nancy E. Epstein, 2014. A review article on the benefits of early mobilization following spinal surgery and other medical/surgical procedures.  
Surgical Neurology International. 5(suppl 3): S66-S73.
- (2) Wilson RS et al. 2012. Cognitive decline after hospitalization in a community population of older persons.  
Neurology 78 (13):950-956.
- (3) R. Schwendimann et al. 2018. The occurrence, types, consequences and preventability of in-hospital adverse events – a scoping review  
BMC Health Services Research 18.article number 52.
- (4) [http://www.iaas-med.com/files/2017/Beijing\\_Declaration.pdf](http://www.iaas-med.com/files/2017/Beijing_Declaration.pdf).
- (5) IT. Awad, F. Chung, 2006. Factors affecting recovery and discharge following ambulatory surgery.  
Canadian Journal of Anesthesia, Sep; 53(9): 858-72.
- (6) K. Mazzocco et al. 2009. Surgical team behaviors and patient outcomes.  
American Journal of Surgery 197(5):678-85.

### **Moyamoya-Erkrankung: Es braucht hochspezialisierte Zusammenarbeit** **Dr. med. Sina Finkenstaedt, PD Dr. med. Vladimir Krejci, Prof. Dr. med. Andreas Raabe, Dr. med. David Bervini**

1. Suzuki J, Kodama N. Moyamoya disease--a review. Stroke 1983; 14(1): 104-9.
2. Scott RM, Smith ER. Moyamoya disease and moyamoya syndrome. The New England journal of medicine 2009; 360(12): 1226-37.
3. Powers WJ. Cerebral hemodynamics in ischemic cerebrovascular disease. Annals of neurology 1991; 29(3): 231-40.
4. Kamada F, Aoki Y, Narisawa A, et al. A genome-wide association study identifies RNF213 as the first Moyamoya disease gene. Journal of human genetics 2011; 56(1): 34-40.

5. Baba T, Houkin K, Kuroda S. Novel epidemiological features of moyamoya disease. *Journal of neurology, neurosurgery, and psychiatry* 2008; 79(8): 900-4.
6. Scott RM, Smith JL, Robertson RL, Madsen JR, Soriano SG, Rockoff MA. Long-term outcome in children with moyamoya syndrome after cranial revascularization by pial synangiosis. *Journal of neurosurgery* 2004; 100(2 Suppl Pediatrics): 142-9.
7. Wakai K, Tamakoshi A, Ikezaki K, et al. Epidemiological features of moyamoya disease in Japan: findings from a nationwide survey. *Clinical neurology and neurosurgery* 1997; 99 Suppl 2: S1-5.
8. Roach ES, Golomb MR, Adams R, et al. Management of stroke in infants and children: a scientific statement from a Special Writing Group of the American Heart Association Stroke Council and the Council on Cardiovascular Disease in the Young. *Stroke* 2008; 39(9): 2644-91.
9. Suzuki J, Takaku A. Cerebrovascular "moyamoya" disease. Disease showing abnormal net-like vessels in base of brain. *Archives of neurology* 1969; 20(3): 288-99.
10. Hallemeier CL, Rich KM, Grubb RL, Jr., et al. Clinical features and outcome in North American adults with moyamoya phenomenon. *Stroke* 2006; 37(6): 1490-6.
11. Choi JU, Kim DS, Kim EY, Lee KC. Natural history of moyamoya disease: comparison of activity of daily living in surgery and non surgery groups. *Clinical neurology and neurosurgery* 1997; 99 Suppl 2: S11-8.
12. Kuroda S, Hashimoto N, Yoshimoto T, Iwasaki Y, Research Committee on Moyamoya Disease in J. Radiological findings, clinical course, and outcome in asymptomatic moyamoya disease: results of multicenter survey in Japan. *Stroke* 2007; 38(5): 1430-5.
13. Fujimura M, Inoue T, Shimizu H, Saito A, Mugikura S, Tominaga T. Efficacy of prophylactic blood pressure lowering according to a standardized postoperative management protocol to prevent symptomatic cerebral hyperperfusion after direct revascularization surgery for moyamoya disease. *Cerebrovascular diseases* 2012; 33(5): 436-45.
14. Uchino H, Kuroda S, Hirata K, Shiga T, Houkin K, Tamaki N. Predictors and clinical features of postoperative hyperperfusion after surgical revascularization for moyamoya disease: a serial single photon emission CT/positron emission tomography study. *Stroke* 2012; 43(10): 2610-6.
15. Liu X, Zhang D, Shuo W, Zhao Y, Wang R, Zhao J. Long term outcome after conservative and surgical treatment of haemorrhagic moyamoya disease. *Journal of neurology, neurosurgery, and psychiatry* 2013; 84(3): 258-65.
16. Miyamoto S, Yoshimoto T, Hashimoto N, et al. Effects of extracranial-intracranial bypass for patients with hemorrhagic moyamoya disease: results of the Japan Adult Moyamoya Trial. *Stroke* 2014; 45(5): 1415-21.
17. Deng X, Gao F, Zhang D, et al. Direct versus indirect bypasses for adult ischemic-type moyamoya disease: a propensity score-matched analysis. *Journal of neurosurgery* 2018; 128(6): 1785-91.

18. Komotar RJ, Starke RM, Otten ML, et al. The role of indirect extracranial-intracranial bypass in the treatment of symptomatic intracranial atheroocclusive disease. *Journal of neurosurgery* 2009; 110(5): 896-904.
19. Mizoi K, Kayama T, Yoshimoto T, Nagamine Y. Indirect revascularization for moyamoya disease: is there a beneficial effect for adult patients? *Surgical neurology* 1996; 45(6): 541-8; discussion 8-9.
20. Rychen J, Goldberg J, Raabe A, Bervini D. Augmented Reality in Superficial Temporal Artery to Middle Cerebral Artery Bypass Surgery: Technical Note. *Operative neurosurgery* 2019.
21. Wang KC, Phi JH, Lee JY, Kim SK, Cho BK. Indirect revascularization surgery for moyamoya disease in children and its special considerations. *Korean journal of pediatrics* 2012; 55(11): 408-13.
22. Abla AA, Gandhoke G, Clark JC, et al. Surgical outcomes for moyamoya angiopathy at barrow neurological institute with comparison of adult indirect encephaloduroarteriosynangiosis bypass, adult direct superficial temporal artery-to-middle cerebral artery bypass, and pediatric bypass: 154 revascularization surgeries in 140 affected hemispheres. *Neurosurgery* 2013; 73(3): 430-9.
23. Kim T, Oh CW, Bang JS, Kim JE, Cho WS. Moyamoya Disease: Treatment and Outcomes. *Journal of stroke* 2016; 18(1): 21-30.
24. Conklin J, Fierstra J, Crawley AP, et al. Impaired cerebrovascular reactivity with steal phenomenon is associated with increased diffusion in white matter of patients with Moyamoya disease. *Stroke* 2010; 41(8): 1610-6.
25. Kuwabara Y, Ichiya Y, Sasaki M, et al. Response to hypercapnia in moyamoya disease. Cerebrovascular response to hypercapnia in pediatric and adult patients with moyamoya disease. *Stroke* 1997; 28(4): 701-7.
26. Ilkhchoui Y, Panikkath PV, Martin H. Moyamoya disease, revascularisation surgery and anaesthetic considerations. *BMJ case reports* 2014; 2014.
27. Ishii D, Okazaki T, Matsushige T, et al. Postoperative Dilatation of Superficial Temporal Artery Associated with Transient Neurologic Symptoms After Direct Bypass Surgery for Moyamoya Angiopathy. *World neurosurgery* 2017; 106: 435-41.
28. Sudfeld S, Brechnitz S, Wagner JY, et al. Post-induction hypotension and early intraoperative hypotension associated with general anaesthesia. *British journal of anaesthesia* 2017; 119(1): 57-64.
29. Aoun RJN, Sattur MG, Krishna C, et al. Awake Surgery for Brain Vascular Malformations and Moyamoya Disease. *World neurosurgery* 2017; 105: 659-71.
30. Lopez JR. Neurophysiologic intraoperative monitoring of pediatric cerebrovascular surgery. *Journal of clinical neurophysiology : official publication of the American Electroencephalographic Society* 2009; 26(2): 85-94.
31. Arian F, Vilalta J, Torne R, Noguera M, Lorenzo-Bosquet C, Sahuquillo J. Rapid resolution of brain ischemic hypoxia after cerebral revascularization in moyamoya disease. *Neurosurgery* 2015; 76(3): 302-12; discussion 12.
32. Kawamata T, Kawashima A, Yamaguchi K, Hori T, Okada Y. Usefulness of intraoperative laser Doppler flowmetry and thermography to predict a risk of postoperative hyperperfusion after superficial temporal artery-middle cerebral artery bypass for moyamoya disease. *Neurosurgical review* 2011; 34(3): 355-62; discussion 62.

33. Raabe A, Seidel K. Prevention of ischemic complications during aneurysm surgery. *Journal of neurosurgical sciences* 2016; 60(1): 95-103.
34. Futier E, Lefrant JY, Guinot PG, et al. Effect of Individualized vs Standard Blood Pressure Management Strategies on Postoperative Organ Dysfunction Among High-Risk Patients Undergoing Major Surgery: A Randomized Clinical Trial. *Jama* 2017; 318(14): 1346-57.
35. Saugel B, Vincent JL. Protocolised personalised peri-operative haemodynamic management. *European journal of anaesthesiology* 2019; 36(8): 551-4.
36. Roberson RS. Respiratory variation and cardiopulmonary interactions. *Best practice & research Clinical anaesthesiology* 2014; 28(4): 407-18.
37. Zhang W, Neal J, Lin L, et al. Mannitol in Critical Care and Surgery Over 50+ Years: A Systematic Review of Randomized Controlled Trials and Complications With Meta-Analysis. *Journal of neurosurgical anesthesiology* 2019; 31(3): 273-84.
38. Muraoka S, Araki Y, Kondo G, et al. Postoperative Cerebral Infarction Risk Factors and Postoperative Management of Pediatric Patients with Moyamoya Disease. *World neurosurgery* 2018; 113: e190-e9.
39. Purdon PL, Sampson A, Pavone KJ, Brown EN. Clinical Electroencephalography for Anesthesiologists: Part I: Background and Basic Signatures. *Anesthesiology* 2015; 123(4): 937-60.
40. McCulloch TJ, Thompson CL, Turner MJ. A randomized crossover comparison of the effects of propofol and sevoflurane on cerebral hemodynamics during carotid endarterectomy. *Anesthesiology* 2007; 106(1): 56-64.
41. Zwerus R, Absalom A. Update on anesthetic neuroprotection. *Current opinion in anaesthesiology* 2015; 28(4): 424-30.
42. Reinert M, Mono ML, Kuhlen D, et al. Restenosis after microsurgical non-patch carotid endarterectomy in 586 patients. *Acta neurochirurgica* 2012; 154(3): 423-31; discussion 31.

**Ein wichtiger Aspekt: Händehygiene in der Anästhesie**  
**Regine Christen**

- Chaberny, F., Möller, I., & Graf, K. (2009). Händehygiene und Kampagnen. *Pneumologie*, 63(4), 219-221. doi: 10.1055/s-0028-1100830.
- Herzog, A., Ryll, S., & Friesecke, S. (2015). Neue Wege bei der Verbesserung der Händehygiene. *Krankenhaus-Hygiene + Infektionsverhütung*, 37(3), 94-97. doi: 10.1016/j.khinf.2015.04.009
- Niknam, S. (2017). Händehygiene: Jeder Moment zählt. *Heilberufe*, 69(2), 28-31.
- Schulz-Stübner, S. (2017). Psychologie der Hygiene. In S. Schulz-Stübner (Ed.), *Repetitorium Krankenhaushygiene, hygienebeauftragter Arzt und ABS-beauftragter Arzt* (2. ed., pp. 53-59). Deutschland: Springer-Verlag.

**Vorsicht: Ablenkung!**

**Benjamin Albiez**

Cambell, G., Arfanis, K., Smith, A. (2012). Distraction and interruption in anaesthetic practice. *British Journal of Anaesthesia*, 109 (5), 707-715.

Pinar, H. U., Karaca, O., Doğan, R., & Konuk, Ü. M. (2015). Smartphone use habits of anesthesia providers during anesthetized patient care: A survey from Turkey. *BMC Anesthesiology*, 16(1).  
<https://doi.org/10.1186/s12871-016-0245-7>

Savoldelli, G., Thieblemont, J., Clergue, F., Waeber, J., Forster, A., Garnerin, P. (2010). Incidence and impact of distracting events during induction of general anaesthesia for urgent surgical cases. *European Journal of Anaesthesiology*, 27, 683-689.

Snoots, L., Wands, B. (2016). Use of personal and electronic devices by nurse anesthetists and the effects on patient safety. *AANA Journal*, 84 (2), 114-119.