JUniversitätsspitalBasel

Elektronische Gadgets in der Medizin

Sicherheit oder Hindernis ?

Thierry Girard

Mittwoch, 24. April 2013

1 IN 5 SMARTPHONE OWNERS ADMIT TO BEING ADDICTED


Feb23 2011

MOUNTAIN VIEW, California (February 24th, 2010) - Crowd Science today announced its latest *JustAsk!* survey results exposing consumer smartphone behavior and attitudes. In the study, respondents -- all smartphone owners -- revealed a number of interesting habits and opinions, including:

- One in five respondents admit to being addicted to their smartphones. Agreement with this sentiment skewed higher among iPhone owners at 26%, compared with 13% of BlackBerry owners.

- If their phone fell in a public toilet, 57% would fish it out! Agreement was highest among iPhone owners, at 65% compared with 49% for BlackBerry owners.

S National Library of Headons	PubMed : smart(Al Fields) AND phone(Al Fields) OR smartphone(Al Fields)
Show additional filters	Display Settings Summary, 20 per page, Sorted by Recently Added Send to:
ALCON PROCEEDINGS	
Article types	Results: 1 to 20 of 468
Clinical Trial	Results: 1 to 20 of 458
Review	Evaluating Dwa Account Contral Depth using a Smartphone Camera,
more	1. Igoe D, Parisi AV, Carter B.
Tout modifications	Photochem Photobiol. 2013 Apr 15. doi: 10.1111/php.12082. [Epub ahead of print]
Text availability	PMID: 23581749 (PubMed - as supplied by published)
Abstract available	Related plations
Free full text available	
Full text available	 Diagnostic accuracy of smartphone applications.
Publication	Burki TK.
dates	Lancet Oncol. 2013 Mar;14(3):e90. No abstract available.
5 years	PMID: 23580957 [PubMed - in process]
10 years	Related citations
Custom range	
	Validity of the Apple iPhone/IPod Touch® as an Accelerometer-Based Physical Activity Monitor: A
Species	3. Proof-of-Concect Study.
Humans	Nolan M, Mitchell JR, Doyle-Baker PK.
Other Animals	J Phys Act Health, 2013 Apr 5. [Epub shead of print]
	PMID: 23575387 (PubMed - as supplied by publisher) Related platfone
Clear ell	LOSS REAL ADDRESS LOSS
Constant and the second	Smartphone medication adherence apps: Potential benefits to patients and providers.
Show additional filters	 Dayer L, Heldenbrand S, Anderson P, Gubbins PO, Martin BC. J Am Pharm Assoc (2003). 2013 Mar 1;53(2):172-81. doi: 10.1331/JAPhA.2013.12202. PMID: 23571625 [PubMed - in process]



available at www.sciencedirect.com

The Surgeon, Journal of the Royal Colleges of Surgeons of Edinburgh and Ireland

www.thesurgeon.net



Review

The uses of the iPhone for surgeons

Benan M. Dala-Ali^{a,*}, Mary Anne Lloyd^b, Yahya Al-Abed^a

^a North Middlesex University Hospital, London UK ^b Watford General Hospital, Hertfordshire, UK Clin Orthop Relat Res (2011) 469:2042–2048 DOI 10.1007/s11999-011-1904-0

BASIC RESEARCH


Smartphone Apps for Orthopaedic Surgeons

Orrin I. Franko MD

ORIGINAL ARTICLE


Use of the iPhone for Cobb angle measurement in scoliosis

Matthew Shaw · Clayton J. Adam · Maree T. Izatt · Paul Licina · Geoffrey N. Askin



Anaesthesia. 2012;67(5):552-3.

iPhone for monitoring neuromuscular function







Mittwoch, 24. April 2013

Anaesthesia. 2012;67(5):552-3.

iPhone for monitoring neuromuscular function







JAMA. 2001;285(16):2114-20.

Medication Errors and Adverse Drug Events in Pediatric Inpatients

Rainu Kaushal, MD, MPH

David W. Bates, MD, MSc

Christopher Landrigan, MD, MPH

Kathryn J. McKenna, MS, RN

Margaret D. Clapp, RPh

Frank Federico, RPh


Donald A. Goldmann, MD



Contents lists available at ScienceDirect

Resuscitation

journal homepage: www.elsevier.com/locate/resuscitation




Simulation and education





BEIM AUTOFAHREN



http://www.ingenie.com

UPDATE: Northwest Airline Overshoots Airport by 150-Miles

UPDATED Monday, March 15, 2010 --- 3:25 p.m.

By STEVE KARNOWSKI Associated Press Writer

MINNEAPOLIS (AP) -- Two Northwest Airlines pilots who overshot the Minneapolis airport have agreed not to fight the revocations of their licenses but could fly again.

Under a settlement released by the Federal Aviation Administration on Monday, Timothy Cheney and Richard Cole can apply for new licenses Aug. 29. That's more than 10 months after they flew an Airbus A320 with 144 passengers about 100 miles past their destination before discovering their mistake.



The pilots told investigators they became distracted as they were working on their laptop computers on a complicated crew scheduling program.

Air Line Pilots Association spokeswoman Linda Shotwell says the union and pilots decline to comment.

Copyright 2010 by The Associated Press. All Rights Reserved.







REVIEW ARTICLE

Smartphone applications for pediatric anesthesia

Pediatric Anesthesia

Rahul Bhansali & James Armstrong

Department of Anaesthesia, Nottingham University Hospitals, Nottingham, UK Accepted 5 January 2012

AnaPaed (Developer: Thierry Girard)

Only the second iPad-sized app, AnaPaed, initially requires the user to input the patient's age and weight. Information is displayed in nine, very colorful, main sections and a separate emergency section. The main sections are standard medications (including references), tubes and laryngeal mask airway, regional (with diagrams), antibiotics, analgesia, antiemetic, catheters and drains (central lines, NG tubes and urinary catheters), blood loss, and all drug (an A to Z list, with 'quick links', of all medications, lines, tubes and regional data). The emergency section contains resuscitation information in six age-defined sections. This section does calculate weight from age and allows the user to In our opinion, none of the apps currently available provide the budding pediatric anesthetist with all they might need. Paediatric Emergency Drugs and PICU Calculator both have excellent and useful infusion sections, and Peds Meds' Antidotes section is also potentially very useful. However, Paeds ED and AnaPaeds are most likely to be of day to day use by the trainee i Ein- und Austritt Tätigkeit benötigten Gegenstände



Eintritt:

Austritt:

Kostenstelle:

01.07.2008 per 30.03.2010













Succi: mg i.v. = mi i.v. (< 1.44ht: 2-3 mg/kg ; > 1.44ht: 1-1,5 mg/kg) mg i.v. = mi i.v. (< 6.44ht: 2-3 mg/kg ; > 0.44hter: 3 mg/kg) mg i.v. = mi i.v. Thiopental: mg i.v. = mi i.v. (3-6 mg/kg) mg i.v. = mi i.v. Fentanyl: mg i.v. = mi i.v. (2-3 mg/kg) mg spp mg spp (40 mg/kg; darm 25 mg/kg 6 atdl.) mg spp	1	A.3.524.40.4	
Medis:	Gawicht	kg_Alter	
Atropin: mg [.v. = _mi [.v. = _mi [.v. = (+5 kg : 0,02 mg/kg; 10-60 kg: 0,01 mg/kg; +60 kg 0,5 mg] _mg [.w. = _mi [.v. = (0.02 mg/kg) _mg [.w. = _mi [.v. = _mi [.v. = Stacci: _mg [.w. = _mi [.v. = _mi [.v. = (< 1.44h; 2.0 mg/kg ; + 1.34h; 1-1,5 mg/kg)	Tubusgrössen: _	·	
(-5 kg : 0,02 mg/kg; 10-60 kg: 0,01 mg/kg; -60 kg: 0,8 mg) (0,02 mg/kg) Succi: mg i.m. = (c 1,04h; 2-0 mg/kg; > 1,04h; 1-1,5 mg/kg) (c 1,04h; 2-0 mg/kg; > 1,04h; 1-1,5 mg/kg) (c 6,04h; 2-0 mg/kg; > 1,04h; 1-1,5 mg/kg) (c 6,04h; 2-0 mg/kg; > 1,04h; 1-1,5 mg/kg) (c 6,04h; 2-0 mg/kg; > 0,04h; 1,05 mg/kg) (c 6,04h; 2-0 mg/kg; > 0,04h; 1,05 mg/kg) Thiopental: mg i.v. = (3-6 mg/kg) mg i.v. = Fentanyl: mg i.v. = (2-0 mg/kg) mg i.v. = (40 mg/kg; darm 25 mg/kg 0 and 1) Torradol: mg i.v. = (0,5 mg/kg warm = 1,04h) Disoprivan: mg i.v. = (2-3 mg/kg 1.v.) Tracrium: mg i.v. = (0,5 mg/kg)	Medis:		
(-5 kg : 0,02 mg/kg; 10-60 kg: 0,01 mg/kg; -60 kg: 0,8 mg) (0,02 mg/kg) Succi: mg i.m. = (c 1,04h; 2-0 mg/kg; > 1,04h; 1-1,5 mg/kg) (c 1,04h; 2-0 mg/kg; > 1,04h; 1-1,5 mg/kg) (c 6,04h; 2-0 mg/kg; > 1,04h; 1-1,5 mg/kg) (c 6,04h; 2-0 mg/kg; > 1,04h; 1-1,5 mg/kg) (c 6,04h; 2-0 mg/kg; > 0,04h; 1,05 mg/kg) (c 6,04h; 2-0 mg/kg; > 0,04h; 1,05 mg/kg) Thiopental: mg i.v. = (3-6 mg/kg) mg i.v. = Fentanyl: mg i.v. = (2-0 mg/kg) mg i.v. = (40 mg/kg; darm 25 mg/kg 0 and 1) Torradol: mg i.v. = (0,5 mg/kg warm = 1,04h) Disoprivan: mg i.v. = (2-3 mg/kg 1.v.) Tracrium: mg i.v. = (0,5 mg/kg)	Atropin:	mg l.v. =	mil
(0.02 mg/kg) Succi:mg i.v. =ml i.v. (< 1.4hr: 2-3 mg/kg : > 1.4hr: 1-1,5 mg/kg) (< 6.4hre: 4-6 mg/kg : > 6.4hre: 3 mg/kg) Thiopental:mg i.v. =ml i.v. (3-6 mg/kg) Fentanyl:mg i.v. =ml i.v. (3-6 mg/kg) Benuron:mg i.v. =ml i.v. (2-3 mg/kg) Benuron:mg i.v. =ml i.v. (0.5 mg/kg warm > 1.4hre) Disoprivan:mg i.v. =ml i.v. (0.5 mg/kg i.v.)	(<5 kg : 0,02 mg/kg; 1	0-50 kg: 0,01 mg/kg; >80 kg	0,5 mg)
(< 1.uhr: 2.0 mg/kg ; > 1. Jahr: 1-1.5 mg/kg) (< 6. Jahre: 4.6 mg/kg ; > 0. Jahre: 3 mg/kg) Thiopental: mg i.v. =ml i.v. (3-6 mg/kg) mg i.v. =ml i.v. Fentanyl: mg i.v. =ml i.v. (2-3 mg/kg) mg i.v. =ml i.v. Benuron: mg i.v. =ml i.v. (40 mg/kg; denn 25 mg/kg 0 atdl.) mg i.v. =ml i.v. Disoprivan: mg i.v. =ml i.v. (2-3 mg/kg 1.v.) mg i.v. =ml i.v. Tracrium: mg i.v. =ml i.v.	(0.02 mg/kg)	mg i.m. =	rrs L.r
mg i.m. = mi i.m. (< 6 Jahre: 4-6 mg/kg ;> 6 Jahre: 3 mg/kg) mg i.v. = mi i.v. Thiopental: mg i.v. = mi i.v. (3-6 mg/kg) mg i.v. = mi i.v. Fentanyl: mg i.v. = mi i.v. (2-3 mg/kg) mg i.v. = mi i.v. Benuron: mg i.v. = mi i.v. (40 mg/kg; chern 25 mg/kg 6 andt.) mg i.v. = mi i.v. (0.5 mg/kg wern > 1.Jahr) mg i.v. = mi i.v. Disoprivan: mg i.v. = mi i.v. (0.5 mg/kg i.v.) mg i.v. = mi i.v. (0.5 mg/kg) mg i.v. = mi i.v.		mg i.v. =	mi i.a
Thiopental: mg i.v. =mf i.v. (3-6 mg/kg) mg i.v. =mf i.v. Fentanyl: mg spp (2-3 mg/kg; darm 25 mg/kg 6 atdl.) mg i.v. =ml i.v. Monodal: mg i.v. =ml i.v. (0.5 mg/kg warm > 1 Jabbi) mg i.v. =ml i.v. Disoprivan: mg i.v. =ml i.v. (2-3 mg/kg i.v.) mg i.v. =ml i.v. Tracrium: mg i.v. =ml i.v.		mg i.m. =	mi i.m
(2-3 mogRg) Benuron:mg spp (40 mgRg; denn 25 mgRg 8 atdl.) Toradol:mg i.v. =ml i.v (0.5 mgRg wann > 1 Jahn) Disoprivan:mg i.v. =ml i.v (2-3 mgRg i.v.) Tracrium:mg i.v. =ml i.v	Thiopental:		mi i.v
(40 mg/kg; dwm 25 mg/kg 8 and) Toradol:mg i.v. =ml i.v (0.5 mg/kg warm > 1 Jahr) Disoprivan:mg i.v. =ml i.v (2-3 mg/kg i.v.) Tracrium:mg i.v. =ml i.v	Fentanyl:	_mg i.v. =	mi i.v
(0.5 mg/kg wann > 1 Jahr) Disoprivan:mg i.v. =ml i.v (2-3 mg/kg i.v.) Tracrium:mg i.v. =ml i.v (0.5 mg/kg)			
Tracefum:mg i.v. =mi i.v		mgi.v. =	ml i.v
(0.5 mg/kg)			mli.v
Sonetiges		.mg i.v. =	wi in
	Sonetiges		





		10






The 'iPhone' induction – a novel use for the Apple iPhone

doi:10.1111/j.1460-9592.2008.02498.x

Pediatric Anesthesia, 18, 559–577



Figure 1 iPhone video therapy for anxiolysis during induction of anesthesia.




Language	files	blank	comment	code
Objective C C/C++ Header XML CSS HTML MATLAB	54 84 2 2 1 1	3180 915 2 12 1 1	1854 2003 0 14 3 0	10627 2048 988 138 21 14
SUM:	144	4111	3874	13836

http://cloc.sourceforge.net v 1.56 T=3.0 s (48.0 files/s, 7273.7 lines/s)





Mittwoch, 24. April 2013





		Dashboard	Reviews	Rankinga	Graphs	Events	Reports	
5 A.I			8	leviews & R	atings			Download Review
****	Current version: ****	8 ratings	4	7	****		All versions: ****% 7	5 ratings
****			3		****			25
**			0		**			1
*			1		*			2

STATISTICS -

Mark Unread

Полезная прога!

by hypospadias - AnaPaed - Peds anesthesia - Version 1.0 - 06.03.2011

В отличие от большинства таких программ, очень информативна для практикующего врача! 8 баллов из 10





Product	Sale Type	- Units	Royalty Price	Revenue	Country	Currency.	Revenue in Currency
AnaPaed - Peds anes	Free Sale	1'200	-	-	Germany	EUR	-
AnaPaed - Peds anes	Free Sale	117	-	-	United States	USD	
AnaPaed - Peds anes	Free Sale	33	-	-	Switzerland	CHF	-
AnaPaed - Peds anes	Free Sale	20	-	-	United King	GBP	-
AnaPaed - Peds anes	Free Sale	18	-	-	China	CNY	-
AnaPaed - Peds anes	Free Sale	16	-	-	Canada	CAD	
AnaPaed - Peds anes	Free Sale	9	-	-	Austria	EUR	
AnaPaed - Peds anes	Free Sale	9		2	Mexico	MOON	
AnaPaed - Peds anes	Free Sale	8		-	Italy	EUR	
AnaPaed - Peds anes	Free Sale	7		4	Taiwan	USD	÷
AnaPaed - Peds anes	Free Sale	6	-	-	Hong Kong	USD	-
AnaPaed - Peds anes	Free Sale	5			Saudi Arabia	USD	
AnaPaed - Peds anes	Free Sale	5	+	-	Spain	EUR	-
AnaPaed - Peds anes	Free Sale	5	-	-	Thailand	USD	
AnaPaed - Peds anes	Free Sale	4	-	-	Japan	JPY .	-
AnaPaed - Peds anes	Free Sale	3		-	Malaysia	USD	
AnaPaed - Peds anes	Free Sale	3	-	-	Australia	AUD	-
AnaPaed - Peds anes	Free Sale	3	-		Singapore	USD	-

Product	Sale Type	= Units	Royalty Price	Revenue	Country	Currency	Revenue in Currency
AnaPaed - Peds anes	Free Sale	663		-	Germany	EUR	-
AnaPaed - Peds anes	Free Sale	41	-	*	United States	USD	-
AnaPaed - Peds anes	Free Sale	23		-	Switzerland	CHF	-
AnaPaed - Peds anes	Free Sale	18	-		Australia	AUD	-
AnaPaed - Peds anes	Free Sale	13	-	-	Italy	EUR	-
AnaPaed - Peds anes	Free Sale	11		*	United King	GBP	-
AnaPaed - Peds anes	Free Sale	10	-	-	Singapore	USD	-
AnaPaed - Peds anes	Free Sale	8	27		India	USD	-
AnaPaed - Peds anes	Free Sale	7	7.0	21	Taiwan	USD	-
AnaPaed - Peds anes	Free Sale	7	-	-	Russian Fed	USD	+
AnaPaed - Peds anes	Free Sale	6		-	Japan	JPY	-
AnaPaed - Peds anes	Free Sale	5	-	-	Saudi Arabia	USD	-
AnaPaed - Peds anes	Free Sale	5		123	Philippines	USD	-

Betrug?

by Taz0911 - AnaPaed - Peds anesthesia - Version 1.3.3 - 28.12.2011



Ich habe diese App heruntergeladen, weil auf der Homepage groß geschrieben stand, sie sei drei Tage lang bis Heiligabend kostenlos. Von wegen! Heute kam die iTunes Rechnung über 2,39€. Eine Kontaktaufnahme zu iTunes oder zum Hersteller war mir nicht möglich. Bis das Gegenteil bewiesen ist muss ich von einem Betrug ausgehen!!

Update: inzwischen hat sich der Autor bei mir gemeldet, er würde mir das Geld per Post zusenden, mal schaun... Zum Programm kann ich nur sagen, dass es übersichtlich aufgebaut ist und nützlich für Kollegen sein kann, die nicht täglich mit kleinen Patienten zu tun haben. Mehr dazu, wenn ich mich noch ein wenig mehr damit beschäftigen konnte.

Betrug?

by Taz0911 - AnaPaed - Peds anesthesia - Version 1.3.3 - 28.12.2011

Ich habe diese App heruntergeladen, weil auf der Homepage groß geschrieben stand, sie sei drei Tage lang bis Heiligabend kostenlos. Von wegen! Heute kam die iTunes Rechnung über 2,39€. Eine Kontaktaufnahme zu iTunes oder zum Hersteller war mir nicht möglich. Bis das Gegenteil bewiesen ist muss ich von einem Betrug ausgehen!!

Update: inzwischen hat sich der Autor bei mir gemeldet, er würde mir das Geld per Post zusenden, mal schaun... Zum Programm kann ich nur sagen, dass es übersichtlich aufgebaut ist und nützlich für Kollegen sein kann, die nicht täglich mit kleinen Patienten zu tun haben. Mehr dazu, wenn ich mich noch ein wenig mehr damit beschäftigen konnte.

Tolles Programm inadāquate Rezensionen

by Torben Müller - AnaPaed - Peds anesthesia - Version 1.3.3 - 30.12.2011




 Das Programm ist Super und an der Qualität gibt es nur wenige Details zu kritisieren!
 Kollegen die ein Medizinstudium geschafft haben sollten es auch verstehen wenn auf einem Button 2,39€ steht und nicht gratis, und sie danach noch gefragt werden ob sie den Artikel wirklich kaufen wollen und sie dann mit der Bestätigung einen gültigen Kaufvertrag abschließen, dass sie dann 2,39 € Zahlen müssen!
 Eine Rezension sollte sich auf das Produkt und nicht auf die eigene Unfähigkeit im iTunes kaufverhalten beziehen!



- University Hospital Basel

Obstetric anaesthesia



Spitalstrasse 21 CH-4031 Basel/Switzerland Phone +41 61 328 64 60 thierry.girard@unibas.ch






Schöne App!

by Taz0911 - AnaPaed - Peds anesthesia - Version 1.3.3 - 02.01.2012

Die App ist sehr übersichtlich und offensichtlich ein schönes Stück Arbeit gewesen! Nach Kontaktaufnahme mit Autor sehr zuvorkommender Support! Uneingeschränkt empfehlenswert. Nicht nur für Anästhesisten. Meine Frau ist Kollegin auf einer neonatologischen ICU und ist ebenfalls begeistert!

Entschuldigung an den Autor wegen der zuvor abgegebenen Rezension, die zugegeben etwas emotionsgeleitet war! Ein schönes 2012 auch Ihnen! Herr Kollege !





Einheiten falsch

by T.hierosten - AnaPaed - Peds anesthesia - Version 1.4.2 - 01.01.2013

Die Dosis für Adrenalin wird um eine Zehnerpotenz falsch angegeben! 0.5 microgramm sind 500 milligramm, nicht 50! Hab mir die App eigentlich geholt damit ich im Notfall nicht genau solche Fehler nicht mache, daher für mich nicht zu gebrauchen...

Tolle App, bisher ohne Fehl und Tadel

by renglm - AnaPaed - Peds anesthesia - Version 1.4.2 - 24.02.2013

10 µg/kg

@t.hierosten: Wer so ungebildet und dreist ist, in einer 1-Stern-Bewertung Mikro- und Milligramm durcheinanderzuwerfen und genau das dem Softwarehersteller (von der Uni Basel) vorzuwerfen, sollte keine Tag länger medizinisch tätig sein, seine evtl. vorhandenen Zertifikate verbrennen und unschädlich in der Fischfabrik arbeiten. Really.

Dosis

Verlauf

Einstell

-

Notfall

Allgemein



Mark Unread



AnaPaed - Kinderanaesthesie

von girard.li

Öffnen Sie iTunes, um Apps zu kaufen und zu laden.



In iTunes ansehen

Diese App wurde sowohl für das iPhone als auch für das iPad konzipiert

CHF 1.00

Kategorie: Medizin Aktualisiert: 19.04.2013 Version: 1.4.3 Größe: 9.0 MB

Beschreibung

★ ★ Spezialpreis während SIGA Luzern ★ ★ 1

Hinzufügen eigener Medikamente

Website von girard.li + AnaPaed - Kinderanaesthesie Support +

Neue Funktionen von Version 1.4.3

Korrigiert eine falsche Glukosedosierung. Re-Aktiviert Querformat für iPad unter iOS 5. Ketamin und S-Ketamin hinzugefügt.

Screenshots









thierry.girard@unibas.ch