

Point-of-Care Gerinnungsmanagement mittels ROTEM®-Analyse

Gestion de la coagulation Point-of-Care à l'aide de l'analyse ROTEM®

Michael Gregor

Literatur

[1] Segal JB, Dzik WH: Paucity of studies to support that abnormal coagulation test results predict bleeding in the setting of invasive procedures: a evidence-based review. *Transfusion* 2005; 45: 1413–1425

[2] Toulon P, Ozier Y, Ankrin A: Point-of-care versus central laboratory coagulation testing during haemorrhagic surgery. A multicenter study. *Thromb Haemost* 2009; 101: 394–401

[3] Hartert HH: Blutgerinnung Studien mit der Thrombelastographie, einem neuen Untersuchungsverfahren. *Klinische Wochenschrift* 1948; 26,: 577–583

[4] Bolliger D, Seeberger MD, Tanaka KA: Principles and practise of thrombelastography in clinical coagulation management and transfusion practise. *Transfus Med Rev* 2012; 26: 1–13

[5] Innerhofer P, Streif W, Kühnbacher G, Fries D: Monitoring of perioperative dilution coagulopathie using the rotem analyzer: Basic principles and clinical examples. *Anaesthesiol Intensivmed Notfallmed Schmerzther* 2004; 39: 739–744

[6] Mittermayr M, Velik-Salchner C, Stalzer B, Margreiter J, Klingler A, Streif W, Fries D, Innerhofer P. Detection of protamine and heparin after termination of cardiopulmonary bypass by thrombelastometry (ROTEM): results of a pilot study. *Anesth Analg*. 2009 Mar;108(3):743-50

[7] Schöchel H, Voelckel W, Maegele M, Solomon C. Trauma-associated hyperfibrinolysis. *Hamostaseologie*. 2012;32(1):22-7.

- [8] Girdauskas E, Kempfert J, Kuntze T et al: Thrombelastometrically guided transfusion protocol during aortic surgery with circulatory arrest: a prospective randomized trial. *J Thorac Cardiovasc Surg* 2010; 140: 1117–1124
- [9] Spalding GJ, Hartrumpf M, Sierig T et al: Cost reduction of perioperative coagulation management in cardiac surgery: value of bedside thrombelastography (ROTEM). *Eur J Cardiothorac Surg* 2007; 31: 1052–1057
- [10] Görlinger K, Dirkmann D, Hanke AA et al: First-line therapy with coagulation factor concentrates combined with point-of-care coagulation testing is associated with decreased allogeneic blood transfusion in cardiovascular surgery: a retrospective, single-center cohort study. *Anesthesiology* 2011; 115: 1179–1191
- [11] Gregor M., Schwirz G., Zenklusen U., Point-of-Care-Gerinnungsmanagement bei Eingriffen im hypothermen Kreislaufstillstand mit der Thrombelastometrie, *Kardiotechnik* 2/2012, 35-39.
- [12] Weber CF, Görlinger K, Meininger D, Herrmann E, Bingold T, Moritz A, Cohn LH, Zacharowski K. Point-of-care testing: a prospective, randomized clinical trial of efficacy in coagulopathic cardiac surgery patients. *Anesthesiology*. 2012 Sep;117(3):531-47.
- [13] Schöchl H, Schlimp CJ., Trauma Bleeding Management: The Concept of Goal-Directed Primary Care. *Anesth Analg*. 2013 Jun 11.
- [14] Ives C, Inaba K, Branco BC, Okoye O, Schochl H, Talving P, Lam L, Shulman I, Nelson J, Demetriades D. Hyperfibrinolysis elicited via thromboelastography predicts mortality in trauma. *J Am Coll Surg*. 2012 Oct;215(4):496-502.
- [15] Roberts I, Shakur H, Coats T, Hunt B, Balogun E, Barnettson L, Cook L, Kawahara T, Perel P, Prieto-Merino D, Ramos M, Cairns J, Guerriero C., The CRASH-2 trial: a randomised controlled trial and economic evaluation of the effects

of tranexamic acid on death, vascular occlusive events and transfusion requirement in bleeding trauma patients. Health Technol Assess. 2013 Mar;17(10):1-79.

[16] H. Lier, S. Kampe, S. Schröder, Rahmenbedingungen für eine intakte Hämostase, Anaesthesist 2007, 56:239–251

[17] Fassel J, Matt P, Eckstein F, Filipovic M, Gregor M, Zenklusen U, Seeberger MD, Bolliger D. Transfusion of Allogeneic Blood Products in Proximal Aortic Surgery With Hypothermic Circulatory Arrest: Effect of Thromboelastometry-Guided Transfusion Management. J Cardiothorac Vasc Anesth. 2013 Aug 17. doi:pii: S1053-0770

[18] Johnson JL et al, Effect of blood products transfusion on the development of postinjury multiple organ failure. Arch Surg, 2010 Oct;145(10):973-7

[19] Mikkola R et al, Does blood transfusion affect intermediate survival after coronary artery bypass surgery? Scand J Surg. 2013 Jun 1;102(2):110-6

[20] Bjursten H et al, Risks Associated With the Transfusion of Various Blood Products in Aortic Valve Replacement. Ann Thorac Surg. 2013 Aug;96(2):494-9